




Hironori ENDO
LIQUID EJECTION CONTROL METHOD AND
LIQUID EJECTION APPARATUS
Date Filed: July 3, 2003
Darryl Mexic
2 of 12



Hironori ENDO Q76423 LIQUID EJECTION CONTROL METHOD AND LIQUID EJECTION APPARATUS Date Filed: July 3, 2003 Darryl Mexic (202) 293-7060 3 of 12








図5




図6A







図6B


Hironori ENDO Q76423 LIQUID EJECTION CONTROL METHOD AND LIQUID EJECTION APPARATUS Date Filed: July 3, 2003 Darryl Mexic (202) 293-7060 5 of 12




6/12








9/12








図13A

図13B

図13C

Hironori ENDO Q76423 LIQUID EJECTION CONTROL METHOD AND LIQUID EJECTION APPARATUS Date Filed: July 3, 2003 Darryl Mexic (202) 293-7060 12 of 12

繰返し回数 [A]	インク吐出をさせない ノス・ル[B]	インク吐出をさせない ノス・ル数[C]	上流側溝上 ノス・ル[D]	上流側溝上 ノスル数[E]	E−Cの値 [F]
1	#353~#360	8			92
2	#340~#360	· · 21			79
3	#328~#360	33	#261~#360	100	67
:	:	:			:
8	#265~#360	96			4
(9)	(#253~#360)	(108)			(-8)